




	Bag Pickup Automatic sucking system ensure premade bag being picked up automatically.
	BAG OPENING A strong bag holding and sucking system for premade bag being opened in stable condition.
	FILLING SYSTEM Continuous working station of bags transferring to be fill with products. Speed can reach 30-40 bags per min.
	SEALING SYSTEM Sophisticated sealing structure for premade bag (with zipper or without) is reliable in sealing.

ELECTRICAL PARTS		
ABB inverter	WeinView touch screen	Motor & gear
Siemens PLC	Branded driver	AirTAC cylinder

APPLIED RANGE		
Sauce & paste	Juice	Oil
Medical liquid	Chemical liquid	Liquid detergent



MASZYNA PAKUJĄCA W GOTOWE TOREBKI I SASZETKI ZE STRUNĄ

Modele 160G 210G 260G 320G

Szerokość torebki 80*160 mm 90*210 mm 150*260 mm 200*320 mm

Długość torebki 100*210 mm 110*330 mm 150*400 mm 150*500 mm

Rozmiar maszyny: 1700*1050*1100 mm 2150*1350*1300 mm 2450*1200*1200 mm 2800*1200*1200 mm

Wydajność: 20-60 bag/min 20-60 bag/min 10-60 bag/min 10-50 bag/min

Zakres pakowania 5-300 ml 50-1000 ml 200-2000 ml 500-3000 ml

220v/380v 220v/380v 220v/380v 220v/380v

Moce 2.5kw 50Hz 3.5kw 50Hz 3.5kw 50Hz 3.5kw 50Hz

Waga 600 kg 900 kg 1100 kg 1500 kg

Typ torebki: Stand-pouch, hand-bag, zipper bag, 3or4 sides sealing sachet, paper bag

[przeczytaj więcej](#)

Price: 49,000.00 zł + VAT 23%

Kategoria: [NALEWANIE](#)